

ESTECH
ENERGY

**ESTECH All In One Domestic
Heat Pump Water Heater
Side Air Outlet Type**



ESTECH ENERGY LLC

All In One Domestic Heat Pump Water Heater



Integral Design

compact structure and space saving.



Energy-Efficient

saving electricity 75%.



Defrost Automatically

safe use in winter.



Internet of Things

remote control and leading intelligent service.



75 °C hot water

high temperature hot water meets more customer demands.



Enamel Tank / Stainless Steel Tank

resistant to rust and no furring.



Specifications

Side Air Outlet Type



Model No.	WHP-120	WHP-150
Heating Capacity (kW)	2.5	2.5
Power Input (kW)	0.6	0.6
COP	4.16	4.16
Max Power Input (kW)	3	3
Rated Current (A)	2.7	2.7
Max Current (A)	15	15
Power Supply	220V/1Ph/50Hz	220V/1Ph/50Hz
Backup Electric Heater (W)	2000	2000
Refrigerant	R134a	R134a
Net Dimension(mm)	500× 500× 1550	500× 500× 1670
Package Dimension(mm)	640× 640× 1720	640× 640× 1840
Net Weight(Kg)	89	92
Noise (dB)	48	48
Water tank volume(L)	120	150
Working temperature range (°C)	-7~43	-7~43

Heating Testing condition: Capacity at Air 20°C/15°C Water Temperature from 15°C to 55°C.

The above data is for reference only. For more specific data, refer to the nameplate on the unit.

High quality-
We believe that quality
is the best business
plan



R&D team-
Professional R&D team
for new and high-effi-
ciency heat pumps



Reasonable prices-
Competitive prices
which help you to
occupy your market



ESTECH ENERGY

Heat pumps

Best compo-
nents-
World class
components
suppliers for
your heat
pumps



Fast delivery-
We always keep the
promise to you, you
always keep the promise
to your customers



Long warranty-
TWO years for heat
pumps, THREE years
warranty for Compres-
sor and Condenser



ESTECH ENERGY

ESTECH ENERGY LLC

Estech Energy LLC.

Address: 4228, Hampshire Lane, El Paso, TX 79902

E-mail: mail@estechenergy.com

Web: www.estechenergy.com